September 1988 NSRP Report 0286

THE NATIONAL SHIPBUILDING RESEARCH PROGRAM

Zone-Oriented Drawings For Life Cycle Management

U.S. DEPARTMENT OF TRANSPORTATION
Maritime Administration and
U.S. Navy

in cooperation with Newport News Shipbuilding

maintaining the data needed, and c including suggestions for reducing	ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar	o average 1 hour per response, includion of information. Send comments arters Services, Directorate for Inforty other provision of law, no person	regarding this burden estimate mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE		2. REPORT TYPE		3. DATES COVERED			
SEP 1988		N/A		-			
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER				
The National Shipbuilding Research Program, Zone-Oriented Drawings For Life Cycle Management				5b. GRANT NUMBER			
				5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)			5d. PROJECT NUMBER				
				5e. TASK NUMBER			
					5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Surface Warfare Center CD Code 2230 - Design Integration Tools Building 192 Room 128 9500 MacArthur Blvd Bethesda, MD 20817-5700					8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)			
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release, distributi	on unlimited					
13. SUPPLEMENTARY NO	OTES						
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF	18. NUMBER	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	ABSTRACT SAR	OF PAGES 52	RESPONSIBLE PERSON		

Report Documentation Page

Form Approved OMB No. 0704-0188

ZONE-ORIENTED DRAWINGS

FOR

LIFE-CYCLE MANAGEMENT

A Project of

The National Ship building Research Program

by

The Society of Naval Architects and Marine Engineers
Ship Production Committee
Design/Production Integration Panel (SP-4)

Scot 1988

Wilkins Enterprise Inc. Riva. Marvland

ACKNOWLEDGMENT

This is the final report of a project managed and cost shared by Newport News Shipbuilding Research Program under Maritime Administration contract DTMA91-S4-C-41043. The program is a cooperative effort of the U.S. Navy, the Maritime Administration Office of Advanced Ship) Development and Technology and the United States shipbuilding industry. Industry direction was provided by the Society of Naval Architects and Marine Engineers' Ship Production Committee Design/Production Integration Panel (SP-4), chaired by F. Baxter Barham of Newport News Shipbuilding.

Principle research was conducted by Wilkins Enterprise Inc. in cooperation with shipyards, both Private and Public, who provided data through visits and personal cantacts.

I N D E X

<u>Title</u>	Page No.
Executive Summary	iv
Introduction	1-1 1-2 1-4
Detailed Design Phase Stages Different System Types Basic Design Stage Drawings. General. Space Arrangement Drawings. Key Structural Drawings Functional Design Stage Drawings General. System Diagrams Transition Design Phase Drawings General. Composite Drawings. Working Drawing Design Phase General. System-Oriented Construction Drawings Modular Construction Drawing Practices. General. Unit-Oriented Drawings Block-Oriented Drawings System Drawings by Unit. Machinery Unit Drawings.	2-1 2-2 2-3 2-3 2-4 2-4 2-4 2-5 2-6 2-6 2-7 2-8 2-9 2-10 2-11 2-11 2-13
Users and Their Needs	3-1 3-1 3-1 3-2 3-2 3-2

I N D E X - Continued

<u>Title</u> <u>P</u>	age	No.
Users and Their Needs - Cont'd		
Users' Needs	₹-	- <u>3</u>
Ship's Force		
Operation		
Maintenance		
Planning Yard		
General	. 3-	-5
Shipcheck		
Design Development		
Supervisors of Shipbuilding.		
Shipbuilding		
Overhaul		
Installing Activity	. 3-	- <u>6</u>
Evaluation	. 4-	-i
Introduction		
System Diagrams		
General		
		-2
		-4
Assembly Drawings		-4
General	. 4.	•
Numbering and Titling	_	
	. 4	
Area Coverage		
Legibility		
Fabrication Drawings		
General		
User Capabilities		
Drawing Maintenance		
Format Issues		
Military Specifications	. 4	-12
Conclusions	. 5	-1
Acknowledqments	. 6	-1
Appendix A		

EXECUTIVE SUMMARY

This report records the result of a study which was conducted to determine whether the drawings which are being developed and used by shipbuilders who are using oriented, i.e.. modular, construction techniques. will satisfactorily meet the needs of each of the US Navy' organizations which have some type of responsibility in the Navy's life cycle The question was raised because maintenance management process. these drawings are very different from the type of certain of system-oriented drawings which have been developed and used shipbuilders in the past. and with which the USN organizations The shipbuilder is required, by contract, are familiar. government the drawings used for building the the provide to since shipbuilders who use modular construction However. ship. techniques do not need system-oriented detailed drawings to build the drawings with which the USN organizations have bethe ships come familiar will not necessarily be provided unless changes are made to the contract or specifications. Thus the basic issue is should be invoked in existing and future whether SUCh changes shipbuilding contracts.

The Navys Planning cards. which have the responsibility for maintaining configuration control and for developing the drawings which are to be used for making changes to existing systems, were found to have the greatest need for the various types of drawings developed and used by the shipbuilder.

The study concluded that certain types of drawings being developed and used for modular ship construction are more useful for the Navy's needs than the system-oriented drawings. However. not all shippards are developing the type of drawings which will be most useful.

The report provides recommendations for the type of information which must be provided in drawings of various types in order to best meet the needs of the life cycle management process. The report also identifies the need for System Diagrams to be maintained in a continuously updated condition. This can be accomplished by identifying all such drawings as Selected Records, and by taking the steps necessary to make sure that Selected Records are kept current with the ship's existing configuration.

INTRODUCTION

<u>Terminology</u>

Because agreement on terminology is essential to communication, and because there seems to be no existing "standard" of terminology that crosses the boundaries of individual shipyards, the following descriptions are provided to define the terminology that will be used In this report:

"Zone-oriented" - This term is normally used to refer to any ship construction approach which varies from the system-oriented approach which has been used in virtually all Us shipyards (except during wartime, when efficient production became the norm). However, because the word "zone" has been applied very differently in various places. and has been used to describe any part of a ship under consideration, including systems, it will not be used in this report except in its most generic senses i.e., to mean non-system-oriented.

"Modular. or Unit-oriented" - The essential difference that has been (reintroduced into shipbuilding practice is whole of any ship may be broken down into a number of basic construction units, each of which can be finished to as complete a Condition as practicable, virtually independently of the others. Then, the units can be joined together to make up the whole, It is not uncommon for several units to be i.e., the ship. joined together into larger elements, which will be called "Blocks" in this document, before being joined together with other units or blocks at the final erection site. In all other construction industries this practice is called construction" . The term "modular construction" seems to better convey the basic approach used in this technique and therefore it, and related terms such as "unit-oriented" or "block-oriented", will be used throughout this document to describe the more current approach to shipbuilding.

Background

As shipbuilders have made the transition to the use of modular construction concepts in ship construction they have found it desirable to make significant changes to the format and content of many of the drawings used in the construction process. These changes have been initiated with a single purpose in mind: namely to present information needed by production personnel to them in the format which they, the immediate users of the drawings, find most useful. One guiding principle inherent in achieving this purpose is to avoid providing information that is not needed for doing the task at hand.

Before the transition back to modular construction techships were built by system, the largest and most extensive of which was the hull structure. Construction of the hull frequently was started as soon after-contract award as possible, based more on the desire to meet a milestone for payment purposes and/or the need to keep the available structural construction personnel usefully employed than on the desire to ensure the most cost-effective construction scheduling. The installation of distributive systems, such as piping, ventilation and wiring, also was done by system. But since the development of the drawings distributive systems was in part dependent on data from structural drawings, primary structural drawings must be completed before those of the distributive systems. Thus , natural for the hull structure to be built first, and for distributive systems to be installed inside the hull after their drawings had been completed (and the hull construction The inefficiencies of this approach have been well documented elsewhere and will not be repeated here.

The significant point to be made is that those drawings whose purpose was to provide assembly and installation details in system-oriented shipbuilding programs were deliberately constrained to show information about a single system, because the workers who needed the information were working only by system.

emphasis in modular construction is on the work Since the content related to finishing a unit, the content of the assembly installation drawings must relate to the unit. Most units contain parts of many systems, and seldom, if ever, all parts of Thus, drawings which contain information about how to assemble and install the parts that make up a unit do not provide any information about any parts of any systems which are not in that unit. In other words. since the ship builders do not need system-oriented installation drawings, they are not producing such drawings. Shipbuilders are required to deliver Level 3 drawings, which by definition are those necessary for manufacturing a product. Since system-oriented drawings are not needed for constructing the ship, they will not be available to the owner unless required in addition to level 3 drawings by specific contractual requirements.

After ships are delivered to the owner, a whole new set of drawing users come into the picture. In the past, these users have received detailed drawings of each system, to use for whatever functions they perform. The procedures which they have developed for dealing with all of the elements of the life-cycle maintenance management process have been built, at least in part, around those system drawings. So the issue to be addressed is whether these users will be hurt or helped by having only the unit-oriented or block—oriented drawings, which show now <u>all</u> the

systems in some <u>part</u> of the ship are configured, as opposed to the system-oriented drawings, which show how <u>one</u> system is configured <u>throughout</u> the ship.

As might be expected, the initial reaction of most individuals in the Navy who had not seen any drawings produced from modular shipbuilding projects was that the Navy must continue to receive single system detailed drawings. However many commerand naval ships around the world have been built by foreign using modern shipbuilding techniques shipbuilders and owners and operators have received only the drawings which naturally resulted from their building program. Because these ships have been operated satisfactorily with only those drawings, it was appropriate to study whether there are, in fact, requirements of the U.S. Navy's life cycle management process that do demand detailed drawings of each individual system.

Scope of Project

In addressing the issues presented above, the following basic questions need to be answered relative to the ship's drawings provided by the shipbuilder:

What do the Shipbuilder's drawings provide?

- 2. Who are the Owner's Users?
- 3. What are the Owner's Users" needs?
- 4. Do the Shipbuilder's drawings provide what the Owner's Users need?
- 5. If not, what changes are required?

Before addressing the answers to these questions, it is appropriate to consider the planned and actual approach to obtaining the answers.

Study Approach

The initial plan was to select two types of ship for analysis, each of which had two similar ship classes constructed recently; one class having been built using system-oriented methods and the other using modular construction techniques. The drawings prepared for the system-oriented ships and comparable drawings for the modular built ships would be presented to each of the user activities involved with that class of ship for comparison and comment.

The ships originally targeted for the study were the AO-177 class and the TAO-187 class of oilers, both built by the same shipyard, but by different construction techniques. and the FFG-7 class, the early ships of which had been built using system-oriented methods, but the later ships of which reportedly had benefited from application of modular construction concepts.

The planned approach was to select one or more Ship Alteration packages being designed for the AO-177 class by its Planning Yard, Puget Sound Naval Shipyard, and identify which shipbuilder drawings, and specifically what data in those drawings, were used by the PSNSY designers for each phase of their effort. The next step would be to identify and obtain the drawings from the TAO-187 class which would contain the same type of data, and have the PSNSY engineers indicate whether it would have been easier or harder to have had such drawings available for their use.

The above steps were not able to be implemented as planned because of a number of factors. First, the TAO drawings were still in the process of being developed when the study was initiated. Thus, only a limited number of drawings were available for comparison. The Ship Alterations being worked on the AO class were not particularly suitable to the analyses because a

large number of the drawings being used were not the original drawings of the shipbuilder, but were drawings prepared by the Planning Yard for accomplishing prior system changes.

The choice of the FFG class had to be discarded because the changes in construction techniques were accomplished primarily by production planning documentation without making new drawings to suit modularization of the process. A revised plan, to use the DDG-51 modular drawings for comparison with the FFG system drawings in the development of FFG Ship Alteration planning, could not be effected because the DDG-51 construction drawings were in the earliest stages of development and their ultimate configuration was still a matter of discussion at the shipbuilding yard.

As a result, the approach which was actually carried out involved discussions with personnel at various naval including Supervisors of Shipbuilding, Planning Yards and Ships force, using typical AO drawings and typical TAO drawings. the personnel contacted, only those from PSNSY actually made the effort to visit SupShips New Orleans and Avondale Shipyard to see first-hand the products which had been generated there by the Supervisor for several years. The author has risited a number of private and public shippards to identify and content of the drawings which they are now producing. findings and conclusions in this report represent reactions to all of these discussions, and are not intended to imply any agreement or disagreement by or with any of the personnel or activities with whom he had contact.

SHIPBUILDERS' DRAWINGS

Detailed Design Phase Stages

The Detailed Design Phase, which is carried out by or for the shipbuilder, consists of several separate Stages. The drawings and other documents which are produced in each detailed design stage are quite different because they have different functions to perform. Reference (1) identities four different detailed design stages. as follows:

- 1. Basic Design Stage
- 2. Functional Design Stage
- 3. Transition Design Stage
- 4. Working Drawings Stage

Stages 1. and 2. above are frequently classified elsewhere as a single stage. However, the above division is useful because it recognizes the difference between the general space arrangement drawings and key structural drawings which must be defined immediately after contract award, (Basic Design Stage), and the system level drawings, produced during the Functional Design Stage, for which the Basic Design Stage arrangement and structural drawings are prerequisites.

The primary impact of modular construction on the content of drawings is on the working drawings produced during stage 4, but all drawings have been impacted to some degree, as will be discussed in later paragraphs.

R. L. Starch, C. p. Hammon and H. M. Bunch, <u>Ship Production</u> Cornell Maritime Press, 1988.

Different System Types

The effect of modular construction techniques on content and format of drawings has not been the same for drawings of different types of systems. For the purposes of this discussion, it will be useful to categorize ship systems as either Structural, Mechanical, Piping or Electrical. In this classification scheme, Heating, Air Conditioning and Ventilation Systems (HVAC) are considered within Piping because of their functional similarities.

System wiring drawings have been modified the Electrical since most of the wiring installations are accomplished after the erection of the construction units into blocks or into i.e., they are installed "On-Block" or the hull, "On-Board". Where it is found more effective to install electrical wiring systems during the unit outfitting stage, then the drawing information should be oriented to the unit(s) involved. Wireway drawings, for instante should be unit-oriented in order to allow installatian of the wireways at the most appropriate point in construction. Normally this will be when the decks to which they will be attached are in the upside-down positions where all items which will ultimately be located on the overhead can be installed with the least manpower expenditure.

Many Mechanical systems drawings are unchanged for modular construction, because the information which they provide is normally more installation oriented, even in non-modular construction. If the equipment can be included in a Machinery Unit Package, however, then the information will be provided in that installation drawing package.

The remaining discussion of drawing content will relate primarily to Structural and Piping Systems, because they are the most affected by modular construction techniques.

Basic Design Stage Drawings

<u>General</u>

the United States. ship owners normally provide Tn prospective shipbuilders with a number of drawings which, dition to a set of shipbuilding specifications, describe the ship which they want to buy. However, since the contractual requirements usually make the shipbuilder responsible for delivering a ship which meets specified technical and performance requirements, the shipbuilder must check. and verify every element of the it is often possible for the shipbuilder Resides make changes to design details which significantly decrease the cost of procurement and/or construction, without degrading quality or the performance of the ultimate product. normal for the shipbuilder or his design agent to go through entire design development again, to verify the adequacy of the design and to develop the details of fabrication and installation which are not considered in the early design Phases.

The drawing products of this stage of design, then, are similar to those provided by the ship owners but establish the baseline that the shipbuilder will follow in the remaining detailed design effort.

Space Arrangement Drawings

These drawings provide a description of where all spaces in a ship are located, the purpose of each space, and the location of all major equipment within each space. This sification includes the General Arrangement plans. the Inboard and Outboard Profiles, and the Compartment and Access (C&A) draw-It also includes the Arrangement drawings for major spaces such as Machinery Arrangements, Pilot House Arrangements, CIC Arrangements etc. Such drawings identify the locations of major structural elements such as decks, structural and non-structural bulkheads, and principal scantlings. These drawings do not need to be changed significantly in format or content for modular shipbuilding. In general, they are not system oriented, but provide the background for many other drawings and provide constraints which affect the layout of individual systems.

Key Structural Drawings

A number of structural drawings, such as the Midships Section Drawing and Shell Expansion, contain details of structural scantlings which define the adequacy of the structure to meet the loads imposed on the ship. These provide the basis for other key structural drawings, which provide a description of how the transitions of structural details are to be accomplished. Because all other systems must be designed and built around the ship's structure these drawings must be developed early in the detailed design effort.

<u>Functional Design Stage Drawings</u>

<u>General</u>

The drawings produced in this stage are in some the most important documents developed in the entire design process, because they must provide all of the information which ensure that each system can and will carry out all of the system's requirements, including all interactions with other sys-As such, they not only provide the shipbuilder with all of the information which must be used in the further development of fabrication and installation instructions, but also provide the owner and the regulatory bodies with sufficient information for their approval of the design. As will be emphasized later, they also provide the operators of the ship with the information necessary to understand the system's proper operation and to control the system's configuration during the operating life of the ship.

Note - For modular construction programs, these are the only system oriented drawings which must be developed. In that sense they take on even more importance than they have had in the past.

Experience has shown that schematic representations of the system frequently are the most efficient ways of providing the required information. Thus, such drawings have generally become known as "Diagrams". Very often, the schematic representation of the system is shown superimposed on a background that identifies the spaces through which the system passes. This is especially common with certain distributed systems, such as piping, for which the routing of the system must be considered, and for which elements, such as valve locations, which are vital to the proper design and/or operation of the system, must be defined.

System Diagrams

For modular, as well as system-oriented construction, is produced for each individual system in the ship. For very extensive systems such as the Firemain system or the HVAC system, there may be many sheets in a system diagram. In practice, the term "diagram" is primarily applied to piping or HVJAC system drawings. However, this term will be broadly applied include certain structural and electrical/electronic herein to drawings, which, like piping diagrams, serve to provide all of information necessary to ensure that the subject system will adequately accomplish every function for which the system exists. Electrical One-Line drawings, for instance, also provide basic design data that control the overall system configuration and component sizing and do so in a schematic format. the structures area, drawings are developed for major areas of the ship, such as decks, bulkheads and frames, which may be considered the principal systems of the ship's structure. general, these structural drawings are not schematic, although it has become standard practice, in a number of other countries using advanced shipbuilding techniques, to use simplified representations of actual structure and thus improve the productivity of the design process. For the purposes of the following discussion, these structural drawings will be considered under the term "diagram" .

information provided in diagrams reflects The the results of the calculations which have been made to determine required component sizing, material requirements and performance requirements. Data is provided in graphical, tabular or textual whichever is the most effective technique for presenting the information. Since the diagram provides all of the data necessary for describing a system's basic functional ments including all information necessary to replace any component or piece of equipment in the system, it follows that a diagram is the only document needed by anyone who needs to know how the system is or should be designed, and what constraints' must be satisfied when modification of the system is necessary. The diagram is the single document which completely defines system design requirements.

Transition Design Stage Drawings

General

To fabricate system components and to install them properly requires precise, dimensional drawing data. The schematic ,drawings prepared in the Functional Design Stage do not provide that kind of information. The "tool" that is used to take the data relating to individual systems from the diagrams produced in the Functional Design Stage, and to combine that data into a form that allows dimensioned Working Drawings to be produced in Stage 4, is the Composite Drawing.

Composite Drawings

Composite drawings also are arrangement drawings, provide much more explicit detail. Their primary purpose is to locate, with dimensional accuracy, every portion of every system that exists in a volume of the ship. Composites, often called Interference Control Drawings, have been commonly used for system-oriented shipbuilding, but in such cases their use usually has been limited to certain major, usually very congested, areas of the ship, such as machinery spaces, living areas. etc. intended to preclude "interferences", the scourge of all shipbuilding programs. In most cases, composite drawings are too complicated to be used by anyone other than the people them. Thus, although they are essential to prepare the shipyard's design configuration control process, they are not normally deliverables to a customer.

Conceptually, the content and format of composites are no different for modular-oriented programs than for system-oriented programs. However, in modular programs they are used more widely, extending throughout virtually every space in a ship. They are used for defining systems' details to a much finer level, for determining interfaces between construction units and other construction elements. They have, therefore, become of even greater importance to the shipyard.

With the advent of computer drafting programs with multiple 2D overlay capability or full 3D power, shipyards with sufficient computer capacity are developing composites in the computer. There is a major ongoing effort within the shipbuilding community to expand this capability to include more than just graphics. The term "Product Model" is being used to describe this total description of the ship system, including material identification, etc., as well as configuration data.

Working Drawing Design Stage

<u>General</u>

Working drawings are produced primarily for shipyard's production work force, to provide them with two different types of information. The first type of information relates to the assembly and installation requirements, such as the dimensionally accurate location of each piece that is to be assembled. The second type of information relates to the fabricadata needed by shop personnel for manufacturing the pieces which make up a system. Although the ship construction process is primarily an assembly process, each shipyard will manufacture as many of the parts to be assembled as they can efficiently Both types of information may be included on a single drawing, but usually, as will be assumed in this discussion, information relating to assembly and/or installation is provided on one drawing and fabrication data is provided on another. first of these types of drawings will be identified in this document as Assembly Drawings, since they provide all of the information necessary to assemble the system(s) covered by the drawing, while the second type will be designated as Fabrication Drawings.

Assembly drawings are developed before Fabrication Drawings, because the system configuration must be established before the system can be broken Up into the elements from which it will be built. Thus, Fabrication drawings, which are the first drawings to be directly used in the entire construction process, are necessarily the last to be produced in the entire design process.

Many fabrication drawings have been produced by shop personnel in the past, and, being considered shop sketches rather than drawings, have not been given to the ship owner upon delivery.

The construction process also requires the development of some type of work instructions, usually trade—oriented, which describe the precise work which is to be accomplished, how it is to be done and which drawing(s) and other documents are to be used for direction or guidance. These work instructions are developed normally within the Production Department. rather than by the Engineering Department.

System-Oriented Construction Drawing Practices

During the working drawing phase of system-oriented shipbuilding, designers produced a separate detailed assembly drawing for each individual system on the ship. Similarly, fabrication drawings provided data relating to only one system on each drawing. Work instructions covered the installation of a single system throughout the ship.

Structural working drawings showed the exact dimensions of each piece of steel from which a deck or bulkhead was to be built and also showed how the parts were to be welded together to build the "system". Thus, one drawing could be used to determine how to cut out and weld up all the pieces which made up one structural "system" of a ship. Decks were considered as structural systems in this approach, as were Bulkheads, Frames, etc.

Piping configuration drawings showed the distances of the system's piping from major structure, such as the deck overhead or a bulkhead stiffener, for example. One serious drawback to these drawings was that they did not show the location of other piping systems. It was therefore necessary to look at several drawings to find the configuration details of different piping systems, even if they were, say, running parallel for many

feet. Separate piping fabrication drawings gave construction details for each piece used in making up a single system, throughout the ship.

For electrical systems, wireway routings were developed from the composites and shown deck by deck. The wireways were then installed inside the ship after spaces were all closed in.

Modular Construction Drawing Practices General

shipyard using modular construction techniques cannot effectively make use of the type of system-oriented sembly and fabrication drawings described above. Instead, drawings must relate to the units, sub-units or blocks of units in which the system elements are to be installed. Unfortunately, since at this point in time virtually every shipyard is individualized set of drawing types, which they their own, consider will best enhance their producibility during the modular construction process, it is not possible to generalize on format and content of the drawings being developed. However, the differences relate primarily to the size of assembly which is addressed in the documentation and to the nomenclature used to describe the processes involved. Some assembly drawings address individual units, some address each sub-unit, while some address blocks of several units. A shipyard may use each of these in various combinations for different system types, i.e., structural drawings showing fabrication and assembly by sub-unit, structural drawings showing assembly of sub-units into units and fabrication details of any structural elements which may be added during that effort; piping assembly drawings showing several with separate fabrication drawing packages units in one drawing, for each unit showing the pipe details for all the piping systems that unit; and wireway assembly drawings by block of several adjoining units.

<u>Unit-oriented drawings</u>

Unit-oriented structural drawings define the figuration of each of the structural parts from which a unit will provide all of the welding information, and all of be assembled, the dimensional details which must be used by the construction workers to construct the unit. Ideally, these drawings identify every hole which must be cut for any piping, ventilation or electrical system penetration, as well as all structural cutouts, these all accomplished during the original that can be fabrication of the structure. It is common practice in yards to provide additional drawings for each stage of subassembly of each unit. particularly if the subassemblies are to be constructed at different sites and assembled at another location or if there will be outfitting of the subassemblies before are joined with other subassemblies.

Unit-oriented piping system drawings show all of the elements of every piping system which are to be installed in one unit. Thus, each such drawing is a mini-composite of all the piping systems in one unit. Figure 1 in Appendix A is a portion of a drawing of this type (at very reduced scale).

Part fabrication drawings provide in one drawing, information pertaining to all parts of all of the systems to be installed in one unit.

Block-oriented Drawings

Some shipyards have found it desirable to show all of the elements of a system type (such as piping or electrical systems) from several adjoining units in a single assembly drawings even if the system elements will be installed in each unit at a different place or time. Figure 2 in appendix A illustrates such a drawing for wireways. This type of drawing has not

resulted in any confusion for production personnel during the assembly process, since the personnel at a given work site are provided with only the pieces which are to be assembled at that work site, and are given work instructions pertaining only to the work to be done at their work site. It has not been found necessary in all cases to provide separate drawings for each work site.

<u>Sub-Unit-oriented Drawings</u>

Because most units are built up of smaller subare outfitted before units and in many cases such sub-units being joined with other sub-units into units, it is very common for separate assembly drawings to be developed to describe work to be done on each sub-unit and/or at each work site. At some shipyards, these are produced in addition to the drawings which provide information at the unit or block level. tion drawings are sometimes produced by subassembly, although it is more common for fabrication drawings to be developed by unit, with part numbering systems used to identify the work site where the part will be installed. However, at least one shipyard is presently planning to prepare all drawings by system type at the sub-unit level, and to combine all of the sheets for all of the unit's sub-units into a single work package instruction document.² Although this would appear to provide all of the information needed in the future for any part of any system of that unit, it does so in such a fractionated way that it will be very inefficient for the life-cycle process. A separate series of drawings is being considered for life cycle support.

2. LCDR Blaine R. Brucker, USN, <u>Infusing Producibility Into Advanced Submarine Design</u>, NSRP Symposium, August 1988

System Drawings by Unit

At one shipyard a separate drawing is produced for fabrication and assembly of the parts of each piping system installed in each unit. This approach represents the worst of all worlds, in that it provides neither a complete system description a complete unit description. It therefore fails to satisfy the life cycle management needs of the customer. The reason for having followed this inefficient practice was originally stated to have been driven by someone's perception that it was necessary to maintain the purity of the SWBS number in the drawing number. also was said to have been preferred by some production per-It finally came to light that the CAD system being used makes printing out overlays of multiple systems very difficult. The system provides the shippard with so many other however, that they are willing to accept the additional design cost, additional cost for change incorporation and the other obvious disadvantages. This extremely non-productive approach is still being followed. This approach is mentioned here only in hope that it will serve to ensure that no other shipbuilder will ever follow it, at least not without being forced to because of other cost considerations. There will be an additional cost provide individual detailed system-oriented drawings to the ship owner and operator.

Machinery Unit Drawings

Most of the units into which a ship is broken down the application of modular construction techniques primarily structural units, to which portions of other systems are installed during the construction of the unit. is very cost-effective to assemble several items of equipment onto a common foundation in the shop and then move all of equipment a complete entity into its final location onto a as structural unit or on-board. This entity, known in some a machinery Unit, can include all of the gauges, shipyards as

tubing, and other instrumentation necessary to operate or control the equipment locally. It can be hydrostatically tested in advance. This approach has been applied in system—oriented construction in a very limited way, such as for preassembled piping runs for congested spaces, but is being applied much more broadly in modular construction. Separate drawings are produced for these machinery units. It is common for these drawings to include structural and system routing details on separate sheets of the same numbered drawing. Thus all information needed to construct any part of that machinery unit is available in that drawing.

USERS AND THEIR NEEDS

<u>Introduction</u>

One element of the study effort was to determine what information is actually needed at each stage of the post shipbuilding process, an obvious prerequisite to a decision about the adequacy of the builder's products to meet those needs. This involved, first, identifying the users and then assessing the information needs of each of the users. In the U.S. Navy, as well as in any other operator's organization, there is a defined structure for maintaining and operating the ships. Since that of the USN is more complex than most commercial operators, this study has concentrated on the USN structure. However, the findings are applicable to any owner or operator.

<u>Users</u>

Ships Force - The personnel who operate and maintain the ship on a daily basis are an important source of information about the need for modifications to existing system installations in order to improve the ships performance or simplify its maintenance. Since the standardization of ships and systems within classes is a high priority in the USN because of crew training and maintenance planning considerations, system configuration changes are not intended to be accomplished by ships force personnel without authorization. However, if the ship's force are able to accomplish the changes within their own resources, it is not unknown for them to do so, with or without the knowledge and consent of others outside the ship who have responsibility for configuration control.

operating Commanders/NAVSEA Headquarters — These organizations ultimately are responsible for approval of proposed changes to ships existing systems and configurations. They frequently initiate the process, but more often approve further development of changes that are proposed by others.

Planning Yard - one shipyards, usually a public (US Naval) shipyard, is assigned the responsibility for maintaining configuration control of a ship class. This yard is also responsible for developing any approved system configuration changes to a Class of existing ships. The Planning Yard responsibility always includes the development of the drawings which are to be used by the Installing Activity, i.e., that shipyard which is ultimately authorized to accomplish the work. Most often, the Planning Yard is not the Installing Activity. When it is not, it does provide on on-site representatives whose mission includes aiding the Installing Activity in resolving all problems arising from the use of the Planning Yard drawings.

Supervisors of Shipbuilding -: The USN has established several offices in different parts of the country, each of which is responsible for the contract administration of assigned ship—building and/or overhaul programs. Their responsibilities for shipbuilding programs include drawing review, occasional drawing approval and oversight of the procurement of material, as well as quality assurance and financial management functions. Their responsibilities for overhaul and repair work include putting together packages of prospective work, distribution of that data for bidding purposes, selecting the yard which will accomplish the work and oversight of the work being carried out by that yard.

<u>Installing Activity</u> - The shipyard, either public or private, which is assigned the task of making specific changes to a ship's systems, as well as accomplishing the repair work that always is accomplished during an overhaul.

Users' Needs

Ship's Force

Operation. Operation at the ship by the ship's force does not require use of the construction drawings developed by a shipbuilder. However, Equipment drawings, Technical Manuals and other documentation which the shipbuilder obtains from the equipment supplier are of more direct use to the ship's force. These documents also are used by the shipyard personnel when lnstalling, checking out and operating the ship's equipment during construction, but they are not developed by the shipyard. There is no change needed or desired in the format or content of this type of documentation.

There are still other documents, such as Damage Control documentation, Maintenance Requirement documents, Ships Instruction Books, etc., which may be developed by the shipyard, but these are not used by the shipbuilder for his own purposes during construction. and thus are not being addressed herein.

Maintenance. Maintenance of a ship, on the other hand, may require some of the shipbuilder's documents, as well as some of the other documentation such as Equipment Technical Manuals addressed above. Maintenance problems are usually equipment oriented, rather than system oriented, and normally are local in nature. Therefore the ship's force relies much more heavily on the equipment oriented documentation than on the shipbuilder's drawings. Since most of the problems which occur during operation relate to equipment, and since the cause of most of them is obivious, it is not surprising that discussions with shipboard en-

that of them revealed most gineering personnel never use the drawings which they carry on board. They indicated that, with minor exceptions, the only time they went to the drawing file was to satisfy inspection requirements or to provide drawings to visitors to the ship, such as to shipyard personnel who The minor excome aboard to do shipchecks for various purposes. ceptions include the need to use certain electrical drawings when checking electrical problems and occasional use of diagrams for familiarization and training purposes.

Despite the response described above, it is more reasonable to believe that shipboard personnel actually do need to have copies of every system diagram an board, since these drawings provide the only complete and concise description of how the system is supposed to be designed and of its intended operational parameters. These drawings also contain the information the ships forces need for ordering replacement items. Whenever they need to make minor modifications to a system, they can use the same guidance (USN Ship Specifications and General Specifications, ABS Rules, Coast Guard Regulations, etc.) that was available to the ship's designers.

It is also to be expected that a Fabrication drawing would occasionally be useful for manufacturing a replacement item such as a length of pipe, ventilation duct, etc. However, since these types of items usually can be made by templating existing parts the availability of fabrication drawings is by no means a necessity.

Since the ship's farce have the as-built ship as a full scale model, it is hard to imagine any need which they might have for detailed arrangement drawings, except in the case of major damage due to collision or battle damage. However, even then the immediate on—site repairs which would be made by the ships

force or by other repair activities, would constitute emergency repairs, for which the detailed drawing information would be very useful, but not essential.

Planning Yard

General. Planning yards have the greatest functional need for the shipbuilder's drawings, since they must provide similar drawings to other shippards for making modifications to the systems.

Planning. The planning Yard's efforts normally start with receipt of a ship Alteration Record (SAR). Which describes what changes are to be made to a system and identifies what equipment will be provided by the authorizing activity, and with authorization to develop the drawings and other data which will be needed by the Installing Activity to accomplish the work. The Planning Yard efforts require the availability of system diagrams of all systems impacted in any way, for evaluation of the impact on sizing of equipment or system components and for ease in identifying system material requirements.

The yard then, using the ship's Drawing Ina guide for Identifying the drawings needed, together all of the ship's Assembly drawings which relate to the in the Shipalt. They take these documents to involved systems the ship and use them to check whether the actual installation is as shown on those drawings. They also verify or determine and document how the revised installation will be configured by either marking up the as-built drawings or developing sketches onboard.

<u>Design Development.</u> Following the shipcheck, the Plannlng Yard personnel develop all of the drawings that will be required by the installing shipyard for accomplishing the work involved. This may involve preparation of drawings which describe What parts of an existing installed system are to be ripped out, using the assembly drawing, as well as drawings which describe the new installation. Ripout drawings can be made quickly and easily by tracing existing assembly drawings, in the manual mode. The modifications will be even easier to produce for drawings which exist in computer files. Fabrication drawings would provide much useful in-formation to planning Yard personnel if available.

Supervisors of Shipbuilding

Shipbuilding. Since the primary time frame of interest in this study is the post-shipbuilding life cycle of the ship, the Supervisors need for drawings during shipbuilding is noted only in passing. Obviously, all drawings produced by the shipbuilder are needed by SupShips during the building phase.

Overhaul. In order to properly carry out their responsibilities for overhauls, the SupShips organizations would need only the drawings prepared by the Planning Yard if there never were any question of their accuracy. However, despite the fact that the Planning Yard is responsible for the technical adequacy of the drawings, the Supervisor must have both the system Diagrams and the Assembly drawings of the as—built ship in order to properly and expeditiously respond to technical questions which arise.

Installing Activity

The installing activity should need only the drawings provided with the government's contract to do the work, thus it does not have any functional need for copies of the original shipbuilder's drawings in order to accomplish the changes to the systems' configuration.

EVALUATION

Introduction

It has been determined in the foregoing that all of the different types of drawings developed by shipbuilders during the Detailed Design phase are useful, in varying degrees, to each of the USN organizations which have life-cycle maintenance responsibilities.

In the past there has been no requirement for users receive copies of the Composite Drawings, which are used by the shipyard's design personnel for integrating all of the detailed but were never issued, even to the system arrangements. However, with the advent of shipyard's production personnel. computer drafting, it will be very desirable and ultimately mandatory, for the Planning Yard to have the computer tapes with the It has been necessary far Planning Yards to composite data. develop their own composite drawings for limited areas of the ship, but they have never in the past had the shipbuilders composites with which to start.

with respect to Systems Drawings, although there has been no need far shipbuilders to significantly modify the content or format of these drawings in order for a yard to effectively convert to modular construction techniques, certain changes must be made in order to make these drawings better able to serve the lifecycle users' needs.

The working drawings represent the area of greatest concern or interest, primarily because their format and content have changed greatly from those with which users have experience, but secondarily because there are not yet any standardized techniques for providing the required data. Each type of drawing will be discussed separately, after which a series at issues of general applicability to each type of drawing will be addressed.

System Diagrams

<u>General</u>

all of the information that has been provided by shipyards in system diagrams for system-oriented construction remains essential For modular construction. However, what has not been recognized, In general, is that additional information must be provided on the diagrams whenever all working drawings are developed to suit modular construction, i.e., to address units instead of systems. if it is necessary to call out these requirements in contract language as part of the shipbuilding specifications, then it should be done.

Correlation with Working Drawings

As has been covered in detail elsewhere, working drawings for modular construction seldom, if ever, show a complete system in one drawing. Major systems will appear in many unit or sub-unit drawings, instead of a single separate block, In the past, when it was necessary to go from the systhe working drawing which covered a part of the to system about which one needed additional information, there only one drawing to find and look at. Even if the diagram did not include the number of the corresponding working drawing in its reference iist, the working drawing's title would include the system name and its number would include the same .SWBS number as making it simple to quickly locate the correct numthe diagram, ber in the Ship's Drawing Index (SDI). This is not possible when, as in moduiar construction, working drawings are not system oriented.

During the course of this study, the author has not found one system diagram which has provided any technique for leading a reader to the related working drawing(s). The only currently available way to find the drawing which contains the details of interest is to go through the following steps:

- a. Find a drawing which identifies the ship's unit break-down.
- b. Identify the unit number(s) most likely to include the volume of the ship in which the pertinent part of the system is located.
- c. Search through the SDI to find the working drawing which has that unit number in its title or in its own drawing number. This assumes that the working drawing numbering system or the drawing title will include the unit number. Otherwise, search through the SDI to find some other clue to identify the desired drawing, such as the compartment type.

This technique is obviously very inefficient of several possible solutions to this as yet generally unrecognized problem, the simplest would be to provide a matrix table in the diagram, to correlate each area of the system diagram to the number of the working drawing which contains the detalled Information about that part of the system. Figure 4 in Appendix A provides an example of what information should be included in such a table and how one might look.

It would be very helpful, but inexpensive, to show the location of unit boundaries on the diagram, as well. Figure 3 in Appendix A is a part of *one* page of a firemain diagram. As originally drawn, it did not include any information relating to the unit orientatian of the parts of the system. The circled inserts provide an example of how the boundaries of Unit 117 could

have been identified. Figure 2 of Appendix A includes simple, clear Unit identifiers of the type which should also be included in Diagrams.

Correlation with Compartmentation

once a ship is built, the easiest way to describe the location of a piece of equipment or of any part of a system is by use of the compartment number in which it is to be found. the compartment numbers should be shown on diagrams. most effective way to do this will vary, depending on the extent of the system, but in most cases it can easily be accomplished by using a schematic representation of the compartmentation as a background for the system routing shown on the diagram and labellling each compartment by number. Labeling the compartment by name would even further enhance the ease with which the diagram can be Figure 3 in Appendix A, as originally drawn, failed to provide either the name or the number of the compartments through which the system passed. Figure 2 fails to include compartment Only the drawing illustrated in Figure 1 contains both numbers. the compartment name and number. This type of information should be provided in System Diagrams as well as in Assembly Drawings.

Assembly Drawings

<u>General</u>

The major user of the Assembly drawings during the life cycle of a ship is the Planning Yard. Their primary use of these drawings is to verify, by shipcheck, that the data on the drawings is accurate, so that the designers can use that data with confidence when developing their new drawings. In the manual drawing mode, the original drawings sometimes are used for tracing unchanged portions of the system.

Numbering arid Titling

As mentioned earlier, in order for the working drawings to be most useful to users, they must be identified in such a way that they can easily be related to the portion of the ship to which they apply. The system used for the titling and numbering of working drawings must allow easy recognition of the unit or block and compartment(s) or area of the ship to which the drawing relates. The Shipyard drawing numbers normally include the unit ldentifiers, but the Standard Navy numbering system does not provide for that flexibility. Thus the Drawing Title content must include the requisite information.

Modular vs. System Orientation

Because these drawings are used by the Planning Yard for shipchecking of the existing layout of ships' systems and for planning how to modify the existing layout to most effectively accomplish the purposes of proposed system changes, it is obvious that the unit- or block-oriented assembly drawings, which provide a composite picture of all the systems in a given volume of will be much more useful to the Planning Yard than the single system drawings which they have had to use in the past. Shipalts seldom, if ever, replace entire systems. It is much more common for a piece of equipment in a system to be changed than to change a whole system. Consequently, a composite drawing the relatively small areas of the ship which will be impacted by the equipment change will provide the required information a much more efficient manner. This will be true even when it is necessary to look at the whole system, which may revolve looking several unit-oriented drawings. When using system-oriented data, it is <u>always</u> necessary to look at several drawings, and the interrelationships between systems are much more difficult discern.

Area Coverage

To be of greatest use to the Planning Yard, assembly drawings should show data relating to an area of the ship which has some functional significance, such as one level of a machinery space. This will usually require that more than one unit be included in the drawing. Thus the Block-oriented drawings format will provide the most useful data for the Planning yard's use.

At the other end of the spectrum are Assembly drawings which show only the data relating to the construction and outfitting of each individual sub-unit. While such drawings may be considered ideal for the use of the building yard, they will not provide enough data to be useful to the Planning Yard. It will be necessary for the planning yard engineer to review too many drawings in order to obtain the information concerning a meaning-ful volume of the ship. Since some shipyards have bypassed the block orunit level of drawing and are concentrating on producing only the sub-unit level for their own use, it is possible that shipbuilding contract language will have to address this issue.

The two aspects to be considered are:

- a) whether the shippard needs to generate these block or unit level drawings (in addition to at least some sub-unit level drawings) for their own productivity, and
- b) whether the users need this level of drawing to most effectively carry out their responsibilities.

Since it has been evaluated in this study that the answer about the second aspect is "yes". the first aspect must be addressed . At this time it is only possible to state that at

least one of the yards which converted completely to modular construction techniques has found the block/unit level of drawing to be sufficient for all work but structural work.

Specifically, in the building of the TAO program, assembly drawings covered a block of several units and were used directly at each construction site by the shipyard production workers. On the other hand. it was found to be preferable to prepare separate Fabrication drawings for each in-Structural drawings, containing both fabrication dividual unit. and assembly data, were developed by unit and then used by moldloft personnel to develop additional drawings at the sub-unit The sub-unit level structural drawings were the drawings used by production personnel during the construction process, but the unit-level drawings produced by the engineering department were continually available for reference. These combinations were considered by that shippard to be very cost effectives, and have continued to be used in their subsequent building programs.

It is also of significance that one Planning Yard has taken the trouble to visit this shipbuilder and review the content of the drawings being produced, and has concluded that the drawings being generated will satisfy their needs, with the exception of certain of the matters being addressed in this report.

Other shipbuilders are pursuing different courses. It may be coincidental, but the shippards which are developing the most detailed levels of drawings are the ones with the greatest computer drafting capabilities. It is possible that some drawing practices are being driven more by a desire to make maximum use of the computer drafting capabilities that exist than by the

results of a demonstrated cost-benefit analysis. The results from these building programs, when completed, will be of great interest to the industry.

Legibility

Many of the modular-oriented assembly drawings which have been developed to date are significantly harder to read than single system drawings, which can be difficult enough to follow, Although experience with the terminology and content of modular drawings makes their use less difficult, and obviously the shipyards themselves are using them successfully, an improvement in the clarity with which information is provided is a Systems which traverse large areas of a drawing desirable goal. need to be identified frequently enough that a user does net have to search all over a sheet to find what the lines represent. must be large enough that all of the identifiers and dimensions on the sheet can be read without confusion. sense will ultimately prevail, but early attention to this need will be helpful to all concerned.

Fabrication Drawings

These drawings have been determined by Planning yard personnel to be extremely useful for their efforts to provide Information to Installing Activities for replacing existing systems. Fabrication details in the past often were left for the shop Planners to develop, but are now a recognized part of the Design Engineering effort. As such, they are included in the Design Drawing Schedule and included as deliverables to the government at the end of the contract.

While not a life-cycle issue, it is notable that these fabrication details, being deliverables to the government. could be made available by the government to the shipyards which

produce follow ships of the class, but in many recent follow ship solicitations, have not been provided either to prospective bidders or even to the follow shipbuilder except at his request and at the cost of reproduction. It would seem to be in the government's best interest to provide examples of these drawings, at least, during the bidding process so that bidders would have opportunity to eliminate the cost of replicating these drawings from his bid price, unless he chose to use a more cost effabrication technique. Unfortunately, the specter of Clalms against the government, when documents provided by them are found to have any problems. is an overriding deterrent from doing some otherwise intelligent things. There are a number of fairly obvious ways of overcoming this problems but it will require a greater desire to do so on both sides of the contracting table.

General

<u>User Capabilities</u>

Another important consideration in the evaluation of drawing format has to do with the customers' ability to use the data as developed. With many drawings being developed on computer drafting systems, it is frequently assumed that the ship-builders will only have to turn over the data bases to the customer and the customer will be able to generate drawings in any format and with any content that the customer desires. It must be recognized that although many Planning Yards and other USN activities have excellent computer facilities, most of them lag well behind the private shipyards in the number of terminals available to design personnel.

Further, despite some excellent continuing efforts, the commonality of the systems which are currently available in various shipyards is by no means adequate, nor is there adequate ability to transfer and use data generated in different systems.

Until a number of serious problems are solved, it will be absolutely necessary for the customer to require delivery of hard copies and reproducible masters of drawings that are in the format and that have the content identified herein as being most useful

Drawing Maintenance

Discussions with Navy personnel, aboard ship and at the Planning yard have identified that the ships drawings are not being adequately maintained in an up-to-date status.

Drawings and other documents which are identified as Selected Records Data are supposed to be maintained current at all times. Specifically, within 90 days after any availability, all SRD is to be updated to reflect all changes made to the ship's systems' configuration since the last update, i.e., to lnelude all authorized and unauthorized changes which have been made sirce the last update.

The first problem is that this policy is very poorly executed. Most ships are operating with most of their SRD at least one year out of date, with the documents to be changed sitting in some design office awaltlng additional funds to complete the effort.

The second problem is that, except in submarines, most system diagrams are not included as SRD. Those portions of diagrams and other documents which appear as enclosures in Technical Manuals or operating Manuals will be updated, since those documents are included as SRD, but the actual drawings will not.

The situation is exacerbated by the fact that there is no requirement for the Planning Yard to update the Assembly drawings, which are the only drawings which provide a true. dimen-

signalized description of the ship's configuration. The drawings produced by the Planning Yard provide the in-stalling activity with just the reformation needed to rip out any portions of existing systems that are to be replaced and to install the replacement parts. Fabrication data may be left for the installing activity to develop. Thus, after more than one change to any existing systems there may be three or more drawings which have to be reviewed together in order to obtain an accurate description of the current configuration of the system.

It is hardly surprising, under the circumstances, that the ships force personnel feel that they do not have much need of drawings of the ship or its systems. The ship as It exists is the only description of its configuration that they feel they need. Indeed. it is probably the only correct description that exists.

If there is any need for any of the drawings developed by the shipbuilder to be maintained in a current state of accuracy, (and there most certainly is), the priority should be given to system diagrams, space arrangement drawings and then assembly drawings. When computer composites exist and can be updated, then their Orlorlty would come after diagrams and before space arrangements— and their updating would eliminate the need to update assembly drawings.

Format Issues

one significant item concerning drawing format emerged during discussions with Puget Sound Naval Shipyard personnel. The introduction of computers into the design process has led to the typing of many portions of some drawings, such as General Notes or Material List information, at a terminal. The problem occurs when these sheets are printed out on paper of a different size than the rest of the drawing. This is not unique to draw-

ings prepared for modular construction, because this problem already exists. The problem surfaces when someone attempts to obtain a copy of the drawing. If part of a drawing is prepared on large sheets, which are rolled up for storage, say in the Technical Library, and other parts are prepared in booklet form using $8\ 1/2\ x\ 11\ paper$, the Technical Library will very

likely store the booklet portion in a location separate from the rolled portion. Then, when someone orders the drawing, they may not get all of lt. The solution that has been used by one shippard is to develop the material information as a separate "drawing", with a unique title and drawing number. The essential element of any solution is that all sheets of any drawing be of identical size.

Military Specifications

A review of MIL-D-1000 and MIL-D-100, the specifications which describe the required content and format of drawings of equipment procured under government contracts has not disclosed any requirement that, in the author's opinion, would force a shipyard to develop individual system-oriented detailed drawings when such drawings are not used by the shipyard to build the ship. Neither is there any requirement that would preclude using , any of the other techniques described herein for providing clear, useful information to shipbuilders and operators.

CONCLUSIONS

The conclusions of this study, based on the evaluations described in the preceding chapters, are as follows:

The Space Arrangement drawings and System Diagrams are needed by all activities involved with ship maintenance planning and configuration control.

The importance of System Diagrams needs to be emphasized. updated versions of these documents must be available to the ship's force and to all involved maintenance activities at all times. The format of these drawings needs to relate directly to both the final ship compartmentation and the construction unit breakdown. The drawing content must include a matrix table or other technique for uniquely identifying the assembly and fabrication drawings which provide the details of how each part of the system is made and/or installed.

Composite drawings would be used, at least occasionally, if they were available to the design personnel of the Planning Yard. When composite data are available in the form of computer data, suitable for use in producing copies of drawings by the Navy personnel, they become a required product of the construction process.


The primary user of Arrangement and Fabrication drawings is the Planning Yard, but the ship's force also need to have copies available for potential use in emergency situations. Supervisors of Shipbuilding also will need these drawings for ships whose overhauls they are supervising. There is no need for the Navy to receive detailed arrangement drawings of individual piping, structural or electrical systems, as long as they receive arrangement drawings which show the arrangement of all of each type of system in a reasonably large area of the ship. The modular type of drawing will actually meet their life-cycle management needs better than the individual system drawings.

The page size of all sheets of each uniquely numbered drawing must be the same.

There is nothing in those Military Specifications which relate to drawing content and format that would preclude the use of the techniques recommended herein.

<u>ACKNOWLEDGMENTS</u>

The author wishes to express great appreciation for the excellent support and advice which he received from everyone contacted during this study. Special thanks are due to the personnel of SupShips New Orleans and Puget Sound Naval Shipyard, as well as Newport News Shipbuilding, Avondale Shipyards Division and Ingalls Shipbuilding Division. It was a pleasure to conduct a study in which so many people were seriously interested and willing to be involved.






Figure 3

Appendix A

Diagram		Location		Unit5	Shipyard	USN (Owner)
Sht	Areas	D k	Frames		Drwg. Nr.	Drwg. Nr.
6	4A — 7H	Mn	66 – 86	117, 118	06-000-81	505-5904371
6	7A -15D	Mn	86-Strn	127, 615, 625	06-000-82	505-5904381
6	7E -15H	Mn	86-Strn	128, 616, 626	06-000-83	505-5904382
6	6C - 8F	Mn	80 - 95	420	06-420-17	505-5904947